## AD-A286 102 ATION PAGE

Form Approved OM3 No. 0704-0188

average 3 hour per response, including the time for reviewing instructions, searching existing data sources, ig the collection of information. Send comments regarding this burden estimate or any other aspect of this to Washington Headquarters Services, Directorate for information Operations and Reports, 1215 Jefferson f Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)

2. REPORT DATE

02/00/86

3. REPORT TYPE AND DATES COVERED

4. TITLE AND SUBTITLE

CONTAMINANTS IN FISH AND GAME ANIMALS ON ROCKY MOUNTAIN ARSENAL, 1983-1984


5. FUNDING NUMBERS

6. AUTHOR(S)

THORNE, D.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS

ROCKY MOUNTAIN ARSENAL (CO.). PMRMA COMMERCE CITY, CO



8. PERFORMING ORGANIZATION REPORT NUMBER

86058R01

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)

10. SPONSORING / MONITORING AGENCY REPORT NUMBER

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION / AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED

13. ABSTRACT (Maximum 200 words)

A BIOLOGICAL MONITORING PROGRAM WAS BEGUN ON RMA IN 1977. PHASE I OF THIS PROGRAM WAS A SCREENING STUDY TO DETERMINE THE GENERAL EXTENT OF CONTAMINATION IN THE BIOTA. RESULTS OF THIS STUDY INDICATED THAT THE FISH AND GAME ANIMALS WERE TAKING UP CONTAMINANTS.

SINCE THE SCREENING STUDY IN 1977, THE FISH AND GAME ANIMALS HAVE BEEN SAMPLED ANNUALLY TO MONITOR THEIR LEVELS OF CONTAMINATION. RESULTS OF THE STUDIES FOR 1977 THROUGH 1982 WERE GIVEN IN A PREVIOUS REPORT (RIC #83042R01). THE PRESENT REPORT PRESENTS THE RESULTS FOR 1983 AND 1984.

14. SUBJECT TERMS

BIRDS, RABBITS, PHEASANTS, DUCKS

15. NUMBER OF PAGES

16. PRICE CODE

17. SECURITY CLASSIFICATION OF REPORT

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE

SECURITY CLASSIFICATION OF ABSTRACT

20. LIMITATION OF ABSTRACT

# Best Available Copy

86058201 2nd Copy

Contaminants in Tish and Game Animals on Rocky Mountain Arsonal 1983 - 1984

David S. Thomas

Rocky Mountain Arsenal Information Center Commerce City, Colorado


FILE COPY

Tabe, 30, 1986

Contaminants in Fish and Game Animals on Rocky Mountain Arsenal Results of Chemical Analyses 1983 and 1984

A biological monitoring program was begun on Rocky Mountain Argera' in 1977. Phase I of this program was a screening study to determine the general extent of contaminants in the biota. Some of the results of this study indicated that the fish and game animals on the Arsenal were taking up contaminants.

Since the screening study in 1977, the fish and game animals have been sampled annually to monitor their status on contamination. Results of the studies for 1977 through 1982 were given in a previous report (Contaminants in Fish and Game Animals on Rocky Mountain Arsenal 1977 - 1982, David S. Thorne, December 1982, Rocky Mountain Arsenal Information Center Aquisition No. 83042R01). The present report gives the results for 1983 and 1984.



#### DEPARTMENT OF THE ARMY ROCKY MOUNTAIN ARSENAL COMMERCE CITY, COLORADO 80022

SMCRM-TOE-C,

23 April 1984

MEMORANDUM FOR DIRECTOR OF TECHNICAL OPERATIONS

SUBJECT: Chemical Monitoring of Fish and Game Animals on Rocky Mountain Arsenal

- 1. The fish and small game animals on Rocky Mountain Arsenal (RMA) are sampled annually to determine the levels of pesticides and other contaminants in their tissues in order to evaluate any potential health risks.
- 2. Tables I-VII present the results of chemical analysis of pheasants, ducks, mourning doves, rabbits and fish taken on RMA and pheasants and mourning doves taken off post by the Colorado Division of Wildlife (CDW) in calendar year 1983. A table for pheasants taken off post is not included because none of the contaminants were detected in any of the eight birds collected.
- 3. The Environmental Protection Agency (EPA) has established tolerances for certain unavoidable contaminants that find their way into food. Also, the Food and Drug Administration (FDA) has established temporary "action levels" for some contaminants for which an EPA tolerance has not been determined. Tolerances and action levels are limits at which the FDA can take legal action to remove adulterated products from commercial trade. Where no established tolerance or action level exists for an adulterating substance, FDA is authorized to take action at the minimum detection level of the substance. The most recently published list of FDA action levels gives concentration levels of 0.30 ppm for aldrin, dieldrin or endrin in fish or the fat of meat and 5.0 ppm for DDT or DDE, singly or in combination, in fish (Action Levels for Poisonous or Deleterious Substances in Human Food and Animal Feed, Sep 1982, FDA Industry Programs, Bureau of Foods, HF 326, 200 C Street SW, Washington, D.C. 20204). EPA has established a tolerance of 5.0 ppm for DDT or DDE, singly or in combination, in the fat of meat (40 CFR 180, Jul 1980). FDA lists an action level of 1.00 ppm for mercury in fish but none is listed for meat or fat. No other tolerances or action levels are established for the other contaminants found in the game animals on RMA. Since the chlorinated pesticides tend to localize in the fat, the concentrations for these substances would be somewhat higher on a fat basis than the analyses reported in this study which utilized the whole edible portion of the animals.
- 4. The U.S. Army Medical Research and Development Command (USAMRDC) has proposed a temporary guideline of 0.5 ppm for DIMP as the maximum allowable concentration in food for human consumption (Statement on the Status of Research into Biological Effects of Environmental Contaminants at Rocky Mountain Arsenal, Committee on Military Environmental Research, National Academy of Science, Washington, D.C., Jan 1977).

SMCRM-TOE-C

23 April 1984
SUBJECT: Chemical Monitoring of Fish and Game Animals on Rocky Mountain Arsenal

- 5. The chorophenylmethyl sulfur compounds have shown indications of being potential carcinogens (meeting of the Committee on Military Environmental Research, Sub-Committee on Land Renovation, National Academy of Science, Washington, O.C., Apr 5, 1979).
- 6. Again this year, as in 1982, the only pheasants showing any of the contaminants were taken from the immediate vicinity of Basin F. The three pheasants taken in this area contained dieldrin, one exceeding the FDA action level (0.3 ppm); two contained fairly high levels of mercury and one contained a fairly high level of CPMO2 (Table I).
- 7. Twelve of the 15 ducks contained dieldrin; two birds, both from Basin D, exceeded the FDA action level (0.3 ppm). Mercury was present in 12 of the ducks, two exceeding the FDA action level of 1.00 ppm (Table II). No mercury was found in ducks in 1981 or 1982.
- 8. The mourning doves showed more widespread contamination this year than in the previous two years. Nine of the 15 birds contained dieldrin, four exceeding the FDA action level (0.3 ppm). Two of these were from the immediate vicinity of Basin F, but the other two were from relatively clean areas. One of these birds from Basin F contained a fairly high level of endrin and another a fairly high level of CPMO2 (Table IV). Last year only one of 15 mourning doves showed any of the contaminants and this was just a small amount of dieldrin. In 1981 high levels of dieldrin, endrin and CPMO2 were found in mourning doves but only in birds taken from Basin F and the South Plants areas.
- 9. Again this year, as in the previous two years, the only cottontails showing contamination were taken from Basin F and the South Plants-lakes areas. Seven of the 15 rabbits contained dieldrin; one from the South Plants area exceeded the FDA action level (0.3 ppm). One rabbit from Basin F contained mercury and this was in excess of the FDA action level (1.00 ppm); this rabbit also contained some CPMO2 (Table VI).
- 10. Relatively high levels of mercury continue to occur in fish from Lakes Mary, Ladora and Lower Derby. Average mercury concentrations were 0.29 ppm in Lake Mary, 0.72 ppm in Ladora and 0.37 ppm in Lower Derby. Four fish from Ladora exceeded the FDA action level (1.00 ppm). The only other contaminants found were small amounts of dieldrin, DDT and DDE, none exceeding the FDA action levels for these substances (Table VII).
- 11. Of the birds collected off post, five of the eight mallards contained small amounts of dieldrin and one other contained a fairly high level of mercury (Table III). One of the ten mourning doves contained very small amounts of dieldrin and DDE (Table V). None of the phrasants were contaminated.

EDWIN W. BERRY
Acting Chief, Compliance
and Resources Branch

Table I

Contaminants in Breast and Leg Meat of Pheasants from RMA =  $1983\frac{17}{2}$ 

				Con	taminant	$(ppm) \frac{3}{3}$	/ 
Locat	ion 2/,	Sex	Age	DLDN	CPM02	ENDN	HG
Section	n 07-09	F	Juv	EDL	BDL	BDL	BDL
11	11	М	Juv	BDL	BDL	BDL	BDI.
11	11	М	Juv	BDL	BDL	BDL	BDL
11	11	М	Juv	BDL	BDL	BDL	BDL
11	24-15	E .	Juv	BDL	BDL	BDL	BDL
ш	11	F	Juv	BDL	BDL	BOL	BOL
*1	11	М	vul	BDL	BDL	BDL	BDL
F1	24-08	М	Ad	BOL	BDL	BDL	BDL
11	30-01	М	Αd	BDL	BDL	BOL	BDL
**	31-05	М	Ad	BOL	BDL	BDL	BOL
11	06-05	М	Αd	BDL	BDL	BDL	BDL
11	01-11	М	bA	BDL	BDL	RDL	BDL
11	26-09	М	Juv	0.58	BDL	0.05	BOL
**	26-14	м	Juv	0.03	BDL	BDL	0.41
11	26-14	F	Ad	0.04	0.66	BDL	0.50

#### 1/ Taken 2-25 August 1983

### 2/ Locations:

Section 07-09 - Highline Canal, NW corner of section 7

Section 24-15 - East of Bog

Section 24-08 - SE corner of section 24

Section 30-01 - SW corner of section 30

Section 31-05 - SW corner of section 31

Section 06-05 - Shore of Upper Derby arm

Section 01-11 - North shore of Upper Larby, east of Plants area

Section 26-09 - Just west of Basin F fence

Section 26-14 - Just north of Basin F fence

Contaminants in Breast and Leg Meat
of Pheasants from RMA - 1983 (continued)

3/ Contaminants	Symbol .	Detection Level (ppm)
Aldrin '	ALDN	0.02
Chlorophenylmethylsulfide	PCPMS	0.20
Cpm-sulfone	CPHO2	0.20
Cpm-sulf-xide	CPMS0	0.20
Dibromochloropropane	DBCP	0.02
Dichlorodiphenyldrichloroethylene	DDE	0.02
Dichlorodiphenyltrichloroethane	DDT	0.02
Dieldrin	DLDN	0.02
Diisopropylmathylphosphonate	DIMP	0.05
Dithiane	DITH	0.20
Endrin	ENDN	0.02
Isodrin	ISOD	0.02
Mercury	HG	0.20
Oxathiane	OXAT	0.20

ALDN, PCPMS, CPMSO, DSCP, DDE, DDT, DIMP, DITH, ISOD, and OXAT were below their detection levels (BDL).

Tuble II

Contaminants in Breast and Leg Meat
of Mallards from RMA - 1983

			Con	taminant	(ppm) 2/	/ <b></b>
Location,	Sex	Age	DLDN	HG	DDE	DOT
Uvalda Ditch	F	. Ad	BDL	BDL	BDL	BOL
11 11	М	Λd	0.06	BOL	0.06	BDL
$\mathbf{u} = \mathbf{u}_1$	F	Ad	0.05	0.65	BDL	BD1_
Pond, Sec II	М	Δd	0.07	0.22	BDL	BDL
n H	M·	bΑ	BDL	BDL	BDL	BDL
H H	М	Ad	0.18	1.00	0.03	BDL
North Bog	М	Juv	0.08	0.75	0.09	0.02
11 11	F	Juv	0.12	0.29	0.16	0.03
11 11	F	Juv	0.09	0.46	0.12	BDL
11 11	F	Juv	0.10	0.41	0.13	BDL
REG Club Pond	М	bΑ	BOL	0.51	0.04	BDL
TGY Pond	М	Juv	0.02	0.79	0.03	BDL
Basin D Pond	F	Ad	0.84	1.79	0.05	BDL
£1 53	М	Juv	0.11	0.29	BOL	BDL
11 11	, F	Juv	0.54	0.98	BDL	SDL

<sup>1/</sup> Taken 11 Aug-9 September 1983

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPM02, CPMS0, DBCP, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

Table III

Contaminants in Breast and log Meat

of Mallards from Off Post - 1983 1/

			Con	taminan	t (ppm) 2/
. <u>D</u>	ate	Sex	Age	DDE	HG
22	Aug	F	Ad	BDL	0.29
22	Aug	М	Juv	80L	BDL
23	Aug	F	Λd	0.04	BDL
23	Aug	F	Ad	0.04	SDL
23	Aug	F	Ad	0.02	BOL
25	Aug	F	Ad	0.03	BDL
04	Sep	F	Juv	0.03	BDL
04	Sep	м	Juv	BDL	BDL

<sup>1/</sup> All ducks were taken in Weld County.

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DDT, DLDN, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

Table IV

Contaminants in Breast Meat of Mourning Doves from RMA - 1983 1/

		Cor	ntaminan	r (bbw) 3	/
Locat	$\frac{2}{}$	DLDN	CPM02	ENDN	DDE
Section	on 24-15	0.02	BDL	BDL	BDL
**	11	0.48	BDL	0.03	BDL
11	11	BOL	BDL	RDL	BOL
11	03-10	BDL	8DL	BDL	BDL
11	11.	BDL	BDL	BDL	BDL
11	11	BDL	BDL.	BDL	BDL
I t	30-05	0.17	BDL	0.02	BDL
***	11	0.51	BDL	0.04	BDL
11	11	BDL	BDL	BDL	BDL
11	02-11	0.03	BDL	BDL	BDL
11	11	BDL	BDL	BDL	BDL
11	11	0.09	BDL	BDL	0.02
* 1	26-11	1.61	BDL	0.29	BDL
11	11	0.04	BDL	BDL	0.11
11	• •	0.80	0.94	0.09	BDL

- 1/ Adults; sex undetermined; taken 2-18 August 1983
- 2/ Locations:

Section 24-15 - East of Bog

Section 09-10 - North of Post Office

Section 30-05 - SW corner of section 30

Section 02-11 - South Plants area

Section 26-11 - Just east of Basin F fence

3/ See Table I for symbols. ALDN, PCPMS, CPMSO, DBCP, DDT, DIMP, DITH, ISOD, HG and OXAT were below their detection levels (BDL).

Table V

Contaminants in Breast Meat of
Mourning Doves from Off Post - 1983

		Contaminant (p	pm <u>2/</u>
, Date	Location	DLON DD	E
. 20 Aug	Ara. shoe County	BDL BD	L
20 Aug	11 11	BDL BD	L
22 Aug	Weld County	BDL ED	Ĺ
22 Aug		BDL GD	L
22 Aug	11 11	EDL ED	L
21 Aug	Boulder County	BDL BDI	L
23 Aug	11 11	BDL BDI	-
14 Aug	Jefferson County	BDL BDI	-
04 Sep	<i>tt</i> 11	BDL BDI	-
08 Sep	Adams County	0.02 0.0	)2

<sup>1/</sup> Adults; sex undetermined.

<sup>2/</sup> Sce Table I for symbols. ALDN, PCPMS, CPMSO, DBCP, DDT, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection limits (BDL).

Table VI

Contaminants in the Meat of

Cottontail Rabbits from RMA - 1983 1/

					Contar	inants	$(p;n)$ $\frac{3/}{2}$
Locat	ion 2/	Sex	Age		DLDN	HG	CPM02
Section	n 12-09	F	Αđ	,	BDL	EDL	BDL
	11	М	Ad		BDL	BDL	BDL
11	11-06	F	Ad		BDL	BDL	BDL
11	11	М	bA		BDL	BDL	BDL
11	23-15	.· M	Juv		BOL	BDL	BDL
**	01-07	М	Juv		0.03	BDL	BDL
11	11	М	bA		0.03	BDL	BDL
H	34-15	F	Ad		BDL	BDL	BDL
11	34-16	F	Juv		BDL	BDL	BDL
11	01-09	М	Juv		0.06	BDL	BDL
11	11	F	Juv		0.08	BDL	BDL
11	11	М	Ad		0.43	BDL	BDL
11	26-14	F	Juv		0.20	BDL	BDL
**	11	м	Juv		0.10	BJL	BDL
11	11	. ж	Ad		BDL	1.56	0.27

#### 1/ Taken 6 October-2 November 1983

#### 2/ Locations:

Section 12-09 - South of Rod & Gun Club

Section 11-06 - North-Central part of section 11

Section 23-16 - NE corner of section 23

Section 01-07 - Dike between Upper and Lower Derby Lakes

Section 34-15 - NE corner of section 34

Section 34-16 - NE corner of section 34

Section 01-09 - South Plants area

Section 26-14 - Just north of Basin F fence

<sup>3/</sup> See Table I for symbols. ALDN, PCPMS, CPMSO, DBCP, DDE, DDT, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

Table VII

Contaminants in Edible Portion (Filets)

of Fish from RMA - 1983

			Cor	ntaginant	(ppm)	2/
Lake	Species	Wt. (g)	DI.DN	HG	DDE	DDT
Lower Derby	N. Pike	874	0.05	0.36	0.05	0.05
11	11	803	0.04	0.47	0.08	0.06
	41	983	0.05	0.37	0.03	0.04
11	43	852	0.05	0.58	0.21	0.09
11	Bl Bullhead	299	0.10	0.41	BDL	0.04
e)	н	247	0.11	0.29	BDL	BDL
l f	11	242	0.08	0.33	BDL	BDL
11	ti	302	0.12	0.34	BDL	EDL
11	11	286	0.09	0.40	BDL	BDL
u .	11	262	0.11	0.26	BDL	BDL
t1	11	255 -	0.21	0.21	0.03	BOL
Lake Ladora	N. Pike	7128	0.03	4.50	0.05	0.03
ii	11	1759	0.04	0.88	0.05	0.03
H	11	2014	0.03	0.89	0.03	BDL
ii .	tt	4540	0.12	1.23	0.14	0.09
H	L.M. Bass	828	BDL	1.05	BDL	BDL
n	t t	253	0.03	0.64	BDL	BDL
11	11	78	0.03	0.79	BDL	BDL
11	11	130	BDL	0.75	BDL	BDL
u	**	92	0.03	0.73	BDL	BDL
· ·	N. Bluegill	106	0.06	0.44	BDL	BDL
ir .	14	108	0.09	0.14	BOL	BDL
l1	11	112	0.09	0.93	BDL	BDL
11		106	0.08	0.42	BDL	BDL
	11	110	0.04	0.45	BDL	BDL
11	11	106	0.07	0.34	BDL	BDL
ft	н	114	0.04	0.15	BDL	BDL
11	11	107	0.03	0.28	BDL	BDL
H	ti	101	0.03	0.40	BDL	BDL
11	11	96	0.03	0.24	BDĹ	BDL

 $\frac{\mathbf{c}_{i}}{\mathbf{c}_{i}} = \frac{1}{12} \cdot \frac{1}{12$ 

\* \* 10 . il

				<b>(</b> ·	. : . 11	it (,, n)	2/
1	Lake ·	Species	Wt. (a)			obe _	DUT
Lake	tudora.	N. Ploogill	29	0.04	EDL	BDL	FDL
	••	n ·	96	0.04	0.35	RDL	BDL
	**	11	148	0.05	0.53	0.03	0.03
	11	**	118	PDL	1.80	EDL	£ DL
	11	Bl Bullhead	261	0.03	EDL	FOL	BDL
	14	11	296	0.08	0.73	0.03	BDL
	11	н	314	0.11	0.64	0.08	BDL
	11	ti	405	0.10	0.60	0.04	BDL
	11	ti .	300	0.06	0.70	BDL	BDL
	11	11	251	0.10	0.86	0.09	BDL
	11	11	350	0.07	0.94	0.05	0.04
	11	tt	265	0.09	0.72	0.03	BDL
	11	ft	242	0.04	0.66	0.03	BOL
	11	II	273	0.05	BDL	BOL	0.04
Lake	Mary	L.M. Bass	144	BDL	0.27	BDL	BDL
	11	11	154	BDL	0.22	BDL	BDL
	11	11	132	BDL	0.23	BDL	BDL
	11	n	116	BDL	0.22	BDL	BDU
	11	11	130	BDL	0.30	BDL	BDL
,	11	N. Bluegill	364	0.10	0.28	BDL	BDL
	11	C. Catfish	2450	0.16	0.52	0.09	BDL

<sup>1/</sup> Caught June 17, 1983

<sup>2/</sup> See Table I for symbols. ALDN, PCPMS, CPM02, CPMSO, DBCP, DIMP, DITH, ENDN, ISOD and OXAT were below their detection levels (BDL).

CONTAMINANTS IN FISH ON RMA - 1983 (all species)

	40. of Fish	10 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		· <del>,</del>			· ·	. , .	
Kanada		e.	0.37 (0.03) [ 9.21 - 7 53	0.72 (0.14) 841 - 4.53	0.29 (0.04) 0.22 - 0.52	100	0.03 (0.01)	Fd1 - 0.09	
	ug/g (Wet wit.)	Mean (SE)	0.37 (0.03)	0.72 (0.14)	0.29 (0.04)		0.03 (0.01)	0.01 (0.003)   841	0
	No. of Fish	Action Level	0	0	0		0	0	c
Dieldrin	t wt.)	Rangesk	(0.01) 0.04 - 0.21	(0.006) Bd1 - 0.12	841 - 0.16	DDE	841 - 0.21	841 - 0.14	60.0 - 168 (10.0)
	ug/g (Wet wt.)	Mean (SE)	(10.0) 60.0	0.05 (0.006)	0.04 (0.02)		0.04 (0.02) 841	0.02 (0.006)	0.01 (0.01)
NO. OF	Fish		=	33	7		_	33	7
-	Lake		Lower Derby	Ladora	Mary		Lower Derby	Ladora	Mary

\*Bdl = Below detectable level

1984

j.

TABLE 1. CONTIMMINANTS IN UREAST AND LES MEAT OF PHEASANTS FROM HAM - 1984

				CONTAMINANT	r (ppm)
LOCATION	SEX	AGE	DLDN	CPMO2	ENDN
Section 26-09	W	Ad	1.37	109	901
26-09	Σ	ΡĄ	2.38	0.36	0.03
26-11	2	٧٩	0.32	0.28	90F
" 26-11	2	Αd	1.38	0.41	0.03
" 07-04	\$	Ad	90f.	BDL.	90
07-04	Σ	Ad	BCL	<u>ത</u>	പ്പ
00-20	₹	Ad	BDI.	TOB	BDF
24-10	Σ	Ađ	JCI6)	BOL	BC)L
. 24-10	2	PΑ	0.03	ВОГ	ਜ <b>਼</b>
n 24-12	2	Αď	EG.	BD,	BCN
30-01		Αď	.C.	BDL	BDL
4 30-09	2	Ad	0.02	ROL ROL	108 101
10-10	u	Juv	0.02	BDL	108
01-01	2	Ad	ig Be	BOL	TQ8
06-05	\$	Ad	BUL	ЭОГ	BDL

<sup>1</sup> Taken 16-30 August, 1984.

2 Locations:

Section 26-09, West of Basin F fonce.
26-11. East of Basin F fence.
07-04. Highline Canal, S.E. coiner of Section 7.
07-09. Highline Canal, N.W. Corner of Section 7.
24-10. N.W. corner of Section 24.
30-01. First Creek, N.W. corner of Section 30.
30-09. First Creek, N.W. corner of Section 30.
01-01. S.W. corner of Section 30.
01-01. S.W. corner of Section 30.

3 CONTAMINANIS:	SYMBOL	DETECTION LEVEL
Aldrin	ALIM	0.03
Chlorophenyimethyisulfide	PCPAS	0.50
Cpm-sulfone	CPAC2	0.20
Cpin-sulfoxide	CHANG	0.20
Dibromochforopropane	d000	0.02
Dichlorodipheny Idichloroethy lene	Σ. Ψ	0.03
Dichlorodiphenyltrichlurogthane	100	0.05
Dieldrin	DLON	0.02
Diisopropylmethylphosphonate	OTAR	0.05
Dithiane	0.1H	0.20
Endrin	ENER	0.02
Isodrin	0031	0.02
Mercury	ã	0.20
Oxathiane	OXAI	0.20

 ALDN, PCPAIS, CPMSO, DROP, DOE, DOT, DIAMP, DATH, 150D, HG and CXAT were below their detection levels (BDL). ٠,

CONTAMINANTS IN BREAST AND LEG MEAT OF DUCKS FROM FAMA! TABLE 2.

1984

						CONTA	CONTAMINANT (pgin) <sup>2</sup>	(poin) <sup>2</sup>
LOCATION	SPECIES	SEX	AGE	DLDN	ENDN	Ę	DUE	100
Lower Derby	Mallard	Σ	Ad	0.03	BDE	801	0	BDI
Lower Derby	Mallard	2	γq	108	10B	108	0.27	0.05
Ladora Lake	Mallard	ш	Juv	0.46	BOL	BDF	0.16	80.3
Ladora Lake	Mallard	Σ	700	0.02	BDL	0.62	BOL	BOI
R & G Club Pond	Mallard	Σ	Juv	BDI.	BDL	0.40	80F	108
R & G Club Pond	Mallard	Σ	Ad	0.02	BDI.	ROL	0.03	TG8
Sec II Pond	Mallard	Σ	700	BDL	601,	0.20	BDL	BIJL
Sec II Pond	Mallard	L.	717	BDL	BDL	BDL	BDt.	BDL
Sec 11 Pond	Mallard	L.	Juv	BDL	BUL.	BDL	BDL	HOF
Sec II Pond	B.W.Teal	۰.	> 2 7	0.29	BUL	BOL	BDL	ROL
North Bog	B.W.Teal	٠.	717	0.46	0.02	RDL	0.30	BDL
North Bog	Mallard	Σ	> 0 0	0.10	BDL	BOL	0.40	BDL
North Bog	Mallard	Σ	707	0.05	BDL	BDL	108	BDL
	Mallard	ر. 	706	0.10	BDL	BUL	BDL	801
North Bog	Mallard	Σ	707	0.11	BDL	BDL	BDL	BDL

<sup>&</sup>lt;sup>1</sup>Taken 8 Aug - 10 Sep, 1984

<sup>&</sup>lt;sup>2</sup>See Table 1 for definition of symbols, ALDN, PCPMS, CPM32, CPM3O, DBCP, DIMP, DITH, ISOD and OXAT were below their detection levels (BDL).

TABLE 3. CONTAMINANTS IN BREAST AND LEG MEAT OF DUCKS FROM OFF POST

1984

					CONTAMINANT	(mdd)
LOCATION	2		SEX	AGE	DILCN	DOE
R64WI2N	Sec	34	Σ	Ad	BDI.	0.02
R64WT2N	Sec	34	ட	Ad	BDL	0.02
R64WT2N	Sec	34	Σ	Ad	0.04	0.09
R6 7WT 2N	Sec	35	ш	Ad	0.02	0.06
R68WT3N	Sec	28	Σ	Ad	BDL	BDL
R68WT3N	Sec	28	Σ	Ad	BDL	HDI.
		-				

Mallards. Taken 6-7 Sep, 1984

<sup>&</sup>lt;sup>2</sup> USGS coordinate system

<sup>&</sup>lt;sup>3</sup> See Table 1 for definition of symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DDT, DIMP, DITH, ENDN, 1SOO, HG and OXAT were below their detection levels (BDL).

- 1984 CONTAMINANTS IN BREAST MEAT OF MOURNING DOVES FROM RWA TABLE 4.

•				CONTAMINAN	( DDm)
LOCATION 2	DLDN	ENDN	DDT	CPM02	DIMP
Section 09-06	0	d	3		
	50.0	ממר	BUL	HDF.	ر اظ
10-08	108 -	BDL 	8DF	BDI	BÜ
11-06	0.27	BOL	 BDL	108	
30-05	BDL	BUL	BDL	801	
30-08	0.43	BOL	BDL	. OB	 3
31-04	BDL	BDL	0.02	108	- 3 3 3
24-15	0.02	BDL	BDI	80 E	- 1G
" 24-15	BDL	BDL	108	BDI	; S
24-15	0.02	BDL	BDI	HOE I	302
01-10	0.21	0.02	BDL	108 108	
02-11	BDL	BDL	BDL	300	
26-10	1.19	BDL	BDL	901	- 500 1000
26-10	BDL	BDL	BDL	- ICB	90.0
26-11	0.87	108 	BOL 	0.42	108

Adults; sex undetermined. Taken 7 Aug - 16 Sep, 1984.

2 Locations:

South Plants area, N.W. corner of Section 1. South Plants area, N.E. corner of Section 2. East of post office buildings in Section 9. Between airport and C Street in Section 10, Section 30. First Creek, N.W. corner of Section 30. First Creek, S.E. corner of Section 31. First Creek, S.W. corner of First Creek, north boundary S.W. corner of Section 11. West of Basin F fence. East of Basin F fence. 11-06. .90-60 10-08. 30-08. 01-10. 02-11. 30-05. 31-04. 24-15. 26-10. Section

See Table 1 for definition of symbols. ALDN, PCPMS, CPMSO, DBCP, DDE, DITH, ISOD, HG and OXAT were below their detection levels (BDL),

NTAMINANTS IN BREAST MEAT OF MOURNING DOVES FROM OFF POST	DDE (ppm) <sup>3</sup>	90.0	0.02	BDL BDL	BDL	BDL	BUL	BOL	BDL BDL	BOL	
TABLE 5. CONTAMINANTS IN BREAST MI	LOCATION <sup>2</sup>	R63WT4S Sec 10	R63WT4S Sec 10	R63WT4S Sec 10	R63WT4S Sec 10		R64WT4S Sec 9	R64WT4S Sec 9	Sec	R64WT4S Sec 9	

 $^{
m 1}$  Adults; sex undertermined. Taken 6-8 September, 1984

<sup>2</sup> USGS coordinate grid system

<sup>3</sup> See Table 1 for definition of symbols. ALDN, PCPMS, CPMO2, CPMSO, DBCP, DDT, DLDN, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

TABLE 6. CONTAMINA	ANTS IN MEAT	AMINANTS IN MEAT OF COTTONTAIL RABBITS FROM RMA - 1984	ITS FROM RWA -	1984
			CONTAMI	CONTAMINANT (ppm) <sup>3</sup>
LOCATION <sup>2</sup>	SEX	AGE	DLDN	CPM02
Section 26-15	Σ	Ad	0.13	0.77
" 26-15	Σ	Αd	0.11	BOL
	L	Ad	0.22	0.27
" 01-09	L.	Ad	0.02	BDL
	Σ	Ad	0.02	BUL
01-09	L	Juv	BOL	BDL
0	2	Ad	BOL	BDL
0	<u>u</u>	70.6	BOL	BOL
10-10	Σ	70.	HOL	BOL
11-10	Σ	Ad	BOL	BDL
11-10	2	Ad	BDL	BDL
_	Ŀ	Ad	BIJL	BOL
23-15	Σ	Ad	BDL	BDL
23-1	L.	Ad	BDL	BOL
23-16	LL.	Ad	BDL	BDL
			_	

<sup>1</sup>Taken 10-26 October, 1984.

<sup>2</sup>Locations:

South Plants area, H.W. corner of Section 1. Dike between Derby Lakes in Section 1. N.W. corner of Section 11.
N.E. corner of Section 12.
N.E. corner of Section 23.
N.E. corner of Section 23. East of Basin F fence. Section 26-15. 01-09. 01-07. 11-10. 12-09.

23-15. 23-16. <sup>3</sup>See Table 1 for defintion of symbols. ALDN, PCPMS, CPMSO, DBCP, DDE, DDI, DIMP, DITH, ENDN, ISOD, HG and OXAT were below their detection levels (BDL).

CONTAMINANTS IN EDIBLE PORTION (Filets) OF FISH FROM RWA - 19841 TABLE 7.

(ppin) <sup>2</sup>	Ŧ	1.30	. ຕ	-	4.	۲.	9.	. 5	9.	۲.	2	.2	7.	Э.	5	<b>رن</b>	4	-	2	9	9	4		0.36		0.28	6.	6.	۷.	٧.	ე.	4	ω.	۷.	: :	₹.	~	ì	
CONTAMINANT (ppin) <sup>2</sup>	DDE	0.05	0.03	0.04	0.03	0.03	0.03	90.0	0.03	0.03	0.04	0.05	0.11	0.12	0.02	0.13	0.09	0.14	0.02	0.03	0.02	BDL		=		0.04	BDL	0.02	BDL	:	=	Ξ	0.04	BUL	0.02	BDL	=		
CONTA	DOT	BDL	=	:	=	Ξ	=	0.02	BDL	=	=		=	=	=	0.	0	0.04	0	· 0	0	BDL		=		0.02	BOL	=	=	=	=	z	0	Ö	0	0	0.02		
	DIDN	0.07	. 0	0	0	0	0.	Ξ.	0.	-	_	_	ε,	ε.	-	4.	ς,	4			0	-		0.21		•	0.		•	0.	0	0	-	0	0.	0	0.04		1
	ENDN	BDL "	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=		=	<u> </u>	= :	=	=	=	=	=	=	=	=	=	=	=		1
	ALDN	BDL	=	=	=	=	=	0.02	- TG8	=	=	=	0.03	0.02	BDL	0.03	0.02	0.02	BDL	! =	=	=		=		= :	2	=	=	=	=	=	=	=	=	=	=		
WT.(g)		4086	- 8	94	4	~	18	20	9	12	4	43	54	2	ത	8	ဟ	4	တ	$\sim$	ω	2,50,3	4,29.	,44	,39,3	2	$^{\circ}$	6	0	S	8	2	0	2	3	4	2		
, 02					-	-	_	-		-	-	-	_	_	_	-	-	-	_	_	-	9		7		-	_	-	-	-	-	-		-	_	-	-		
SPECIES		N. Pike	=	=	=	=	=	=	=	=	=	L.M. Bass	=	=	=	=	=	=	N. Bluegill	· <del>-</del>	=	=		=		Bl. Bullhead	<b>:</b>	=	=	=	=	=	=	=	=	Ξ	=		
LAKE		Lower Derby	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	=	= :	= :	= :	<b>=</b> :	•		=	=	=	=	=	=	=		•

TABLE 7 (Cont'd). CONTAMINANTS IN EDIBLE PORTION (FILETS) OF FISH FROM HAMA - 1984

LAKE	SPECIES	NO.	WT.(9)	ALON	ENT	DLDN	טטד	DUT DUE HG	Ë
Lake Ladora	N. Pike	_	1031	BDI.	BDL	BDL	BOL	HDI.	1.36
=	=	_	2497	:	=	0.02	0.06	0.07	1.01
=	=	-	2497	=	:	BOL	0.16	0.28	1.25
=	=	-	1858	=	:	0.02	0.02	H.H.	0.45
=	=	-	1582	=	=	<b>B</b> DL	0.05	0.05	0.54
=	=	-	2292	=	=	0.02	0.01	0.03	1.30
=	=	_	1800	=	=	0 0	0.07	60 0	0 50
=	*	· <b>-</b>	2001	=	=	20.0		00.0	000
=	=		2 5	=	=	20.0	20.0	20.0	0.0
=	=			: 3	•	0.02	ב ב ב	וארונין. "	55.0
•		-	22/0	•	:	0.03	0.03	0.03	0.35
=	=		1968	=	=	30r	RDL	0.05	4.16
=	=	-	2270	=	=	0.03	0.03	0.03	0.52
-	M. Bass	_	234	=	=	200	200	00.0	77.0
=	) } =			=			- 22.	20.0	
•	. ;	-	2	:	:	0.05	0.03	0.0	
=	=	_	412	=	=	0.02	J J	Ž	0.61
2	=	_	395	=	=	BDI	=	0.03	97 0
=	3			=	=		=		
•			200	: :	:	0.03	: :	70.0	78.0
ż	. Bluegill	_	-6	•	=	0.02	=	30K	HOF
=	=	-	104	=	=	0.03	=	0.02	0.27
=	=	-	82	=	=	0.05	=	Ē	EG
=	=	_	80	z	=	0.07	Ξ	=	i =
=	=		0.5	=			=	3	0
=	•	-	20	: :	50.0	0.04	: :	20.0	0.30
= :	•	_	90	=	년 82	0.03	=	0.05	0.40
=	=		86	=	=	0.04	0.50	0.02	1.40
=	=	_	92	=	0.02	0.08	BOI	0.05	0.60
=	=	_	9	=	BU		100	13.5	1 70
=	=	•	2 6	=	7 0		200		2 :
-		•	c o	: :	70.0	0.05	0.03	0.02	0.40
	•		104	=	BDL	0.04	0.03	0.05	0.50
<b>:</b>	=	_	88	=	0.02	0.03	0.03	0.02	0.40
=	=	_	8.5	=	0.05	0.05	90.0	0.03	0.48
=	z	-	103	=	100	00.0	ב ב ב	0.00	
=	2		20.	:	: 00.	20.0	ייי פייי	בייני פ	5.0
. •		_	901	•	0.05	0.05	0.08	0.03	0.43
	1. Bullhead	-	234	=	0.05	0.05	30	ŝ	BOL
=	=	_	297	=	0.05	0.04	90.0	0.03	=
=	=	_	328	=	0.00	0.05	500	0 03	=
=	=	• •	2	=				30.0	=
=	2		000		50.0	0.00	2.0	00.0	: :
•	=	_	326	=	0.02	0.07	0.04	0.05	=
=	=	-	282	=	804	0.03	0.05	0.03	=
=	=	-	268	=	=	700	0 13		=
=	=		000	=	=		3 0		=
E	=		000	z	τ		00.0	20.0	:
		_	676	•	:	0.03	0.08	60.0	:
_	•								

TABLE 7 (Cont'd), CONTAMINANTS IN EDIBLE PORTION (Filets) OF FISH FROM RAM - 1984 1

1,100	0.00000						100		, ,	
r kne	species	.00	, (B)	ALDN	ENCN	DLON	00.	DOT DOE HG	(ppin) HG	
Lake Mary	L.M. Bass	•	166	IOS	BOL	0.04	0.05	0.03	Ξ	
=	=	-	139	<b>.</b>	±	0.05	0.05	BOL	0.33	
= :	<b>:</b>	-	157	=	1	0.02	0.04	0.02	0.28	
Ξ :	<b>=</b> :		136	=	: :	0.02	HOP.	HCL HCL	HOL S	
= :	=	-	204	=	: 	0.05	:	0.02	=	
=	=	-	139	=	: 	BOL	:	HOB	=	
=	:	_	135	Ŧ	:	:	:	:	05.0	
z	1		139	=	*	:	:	:	SIL	
=	z		183	2	=	0.02	=	0.62	τ	
*	:		192	=	=	0.02	=	BUL	-	
:	=	_	176	=	=	apr	:		08.0	
:	:	_	177	:		0.03	:	=	BLit	
=	=	_	165	z	=	0.02	:	=	0.30	
=	:	_	171	:	: 	0.02	=	:	BLY	
:	2	_	161	=	:	0.02	:	=	0.30	
=	=	_	171	E	:	0.02	:	=	BUL	
2	2	-	191	=	=	0.02	:	0.02	Ξ	
=	=	_	147	£	=	0.02	:	BOL	0.28	
=	=	_	150	2	z	0.03	•	=	0.46	
=	=	_	147	=	:	0.03	:	Ŧ	0.30	
=	N. Bluegill	_	239	=	:	0.11	=	0.03	0.20	
=	•		35	=	<i>-</i>	0.1	=	0.03	301	
	=	_	165	:	0.02	0.17	:	0.05	0.25	
2	÷	-	548	=	0.02	0.17	:	0.12	0.20	
=	=	_	136	3	BOL	0.08	0.02	BDL	0.22	
•	<b>:</b>	_	133	=	=	0.1	30F	=	0.20	
= ;	Ŧ :	-	153	=	0.05	0.12	0.04	=	0.20	
= :	•	_	129	:	0.02	0.12	0.04	=	0.24	
: :	<b>:</b> :	-	133	:	0.03	0.14	0.04	=	0.20	
: :	= ,		101	= :	HDF HDF	0.12	BDL	=	BOL	
: :	C. Catilish		1565	=	=	0.08	0.05	=	<b>:</b>	
= :	=	-	1055	=	=	0.08	0.05	=	±	
: :	<b>=</b> :	_	2043	0.03	0.04	0.22	301	0.06	=	
= ;	<b>:</b> :	_	1400	90r	BDL	0.07	:	0.04	2	
=	=	-	166	:	=	0.1	:	0.04	=	
= :	*	_	1471	=	: 	0.12	=	0.07	=	
=	=	-	1113	=	=	0.11	:	0.05	z	
÷ ,:	<b>=</b> :	_	1099	=	=	0.07	:	0.04	=	
= :	= :	-	1056	=	3	01.0	=	0.06	=	
•	=	<u>-</u>	2134	=	0.05	0.14	0.05	90.0	=	
-										

<sup>1</sup>Caught 22 May - 5 June, 1985.

 $^2\,{\rm See}$  Table 1 for definition of symbols. PCPM, CPMC2, CPMSO, DBCP, DIMP, DIMP, LSCO and OXAT were below their detection levels (BDL).

. 🔞

SUMMARIES OF DIELDRIN, MERCURY, DDE AND DDT 1 IN FISH FROM RMA - 1984 (ALL SPECIES) TABLE 8.

		<b>→</b> ト	Z		MERCURY	
1 AKE	9 7	ng/g (we	wet wt.)		ug/g (wet wt.)	
,	Fish	Range	Mean	No. Fish Exc. FDA Act. Lev. (0.30 ug/g)	Range Mean	No. Fish Exc. FDA Act. Lev. (1.0 ug/g)
Lower Derby	35	0.02-0.46	0.12	5 (all Bass)	0.14-7.76 0.74	3 (all Pike)
Ladora	42	BDL <sup>2</sup> - 0.08	0.02	0	BDL - 4.16 0.57	- ω
Магу	40	BDL - 0.22	0.07	0	BDL - 0.90 0.57	0
		DDE		(£/6n 0.3)	DDT	(5.0 ug/g)
Lower Derby	35	BDL - 0.14	0.036	0	BDL - 0.04 0.009	0
l adora	42	BDL - 0.28	0.029	0 :	BDL - 0.50 0.060	0
Mary	40	BDL - 0.12	0.018	0	BDL - 0.05 0.009	0

Trace amounts of Aldrin and Endrin were also detected (refer to Table 7)

<sup>&</sup>lt;sup>2</sup> BDL = Below Detection Level